A dramatic landscape photograph of a mountain valley. In the foreground, the dark silhouettes of evergreen trees are visible. The middle ground shows a valley filled with a thick layer of mist or fog. On a hill in the distance, a small church with a prominent steeple is visible. The background consists of rolling, forested mountains under a sky filled with heavy, grey clouds. Two bright, ethereal light rays or sunbeams break through the clouds, shining down towards the valley. The overall color palette is dominated by blues, greys, and greens, with a warm, golden glow from the light rays.

A Practical Guide to Photography

Ian Middleton

First published in Great Britain 2016.
Edition 1

Copyright © 2015 Ian Middleton.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior permission from the copyright owners.

All photos by Ian Middleton, unless otherwise indicated.

Photography © Ian Middleton
www.ianmiddletonphotography.com

Illustrations by
Rebecca Svetina
David Selwood

Published by Schmetterling Productions
ISBN 10: 0-9540779-5-4
ISBN 13: 978-0-9540779-5-2
Email: sales@schmetterlingproductions.co.uk
Website: www.schmetterlingproductions.co.uk

Authorised distribution only

While this book is free of charge, distribution of the book is only allowed with permission. If you would like to make this book available for download on your website, please contact me for permission and details on: ian@ianmiddletonphotography.com

Advertising

If you would like to advertise in this book, then please contact me for rates and details on: ian@ianmiddletonphotography.com

A Practical Guide to Photography

Contents

1. Introduction to light & direction of light
2. How the camera sees and captures images
3. Lenses and how they work
4. Focusing (auto and manual)
5. The exposure triangle (shutter speed, aperture, ISO)
6. White balance
7. Measuring the light
8. Exposure compensation
9. Image file formats – RAW, TIFF & JPEG

Foreword:

In the chill of the night, way back in the 80s, I was standing in the square outside my house with my brother's tripod and SLR, and a hastily scribbled set of times, shutter speeds and apertures taken down from the Sky at Night television program the evening before. Patrick Moore had been interviewing a photographer who gave out these settings for budding photographers to capture the event, so in a fit of spontaneity I had grabbed my brother's camera and tripod and decided to have a go.



The lunar eclipse was just beginning. I had already loaded my roll of 36-film and as the first shadow was cast across the moon, I began shooting. This was my first attempt at doing some serious photography. Until this point I had always taken snapshots using a trusty old compact.

As the dawn light crept in I got closer to the end of my film. Or so I thought! Once the indicator reached 36, I was surprised to find the camera wind on to one more exposure after another until pleasure at the thought of getting a few extra pictures turned to suspicion as the reel never seemed to end. Eventually I had to pack up and head, bleary-eyed through lack of sleep, to work.

After work that day I took the film along to the photography shop and told the guy what had happened. He put the film inside a sealed box and looked through a camera. All exposures were blank. It seemed that I had neglected to load the film properly. So my sleepless night was in vain!

After that instance I decided that I wasn't cut out for photography and a decade passed before I picked up another SLR.

What inspired me to take photography seriously again was a four-month

journey around Mexico in 1997. This voyage of discovery filled my eyes with enchanting scenes and for the first time I began to see the beauty of nature and the world into which I was born. Upon my return I couldn't help feeling that my little compact camera hadn't truly captured that magic, so I decided to invest in my first SLR and have another go.

Somewhat fortuitously, someone had left an old book on photography for beginners on the canteen table where I was working at the time. I spent the next few weeks with my head buried inside this book and it was here that I learned all about the basic principles of photography; including how to load film correctly. I found this essential to understanding how the camera works. It's these basic principles that have been the foundation for my work and have helped me to develop my skills and work over the years.

I certainly had lots of practice loading film as I went through reels and reels learning and practicing my craft. This time I didn't let my mistakes faze me and instead learned from them. I transferred to digital in 2005, which certainly lowers the cost of making mistakes and allows you the flexibility to experiment and learn.

Today, with high tech digital cameras, most people may feel more comfortable switching to auto and mistakenly believing that the camera can do it all for them. Well, that's true if all you want is a basic good shot. The camera cannot read your mind. All it can do is read a scene and give you an average shot based on what it captures. So in order to take control and get the shots that you want, you have to go beyond the auto settings.

And so, in this book, I have put together a lot of this information so that you can learn first-hand the essential knowledge that you will need as a photographer. I have tried to put make it as simple, and practical as possible. I hope that you find it as useful as I did while learning it.

Once you have read it, you are welcome to join me on one of my [photography tours or workshops](#) to start putting your new knowledge into practice. More details on the next pages:

My photography tours

Jurassic Coast Tour



A weekend photo holiday and workshop on this beautiful coastline. Stretching along Dorset and Devon, the Jurassic Coast is so-named because its landscape and geology record 185 million years of the Earth's history. It's packed with fantastic photographic opportunities at anytime of the year, and we'll explore some of the best locations along the Dorset stretch

More details here.....

www.ianmiddletonphotography.com/tours/holidays/jurassic-coast.html

Slovenia - Alpine Wonders Weekend



A weekend photo holiday and workshop in the stunning alpine region of Slovenia. We'll visit two beautiful glacial lakes: Lake Bled and Lake Bohinj, and travel through stunning alpine valleys and mountain vistas, visit waterfalls, rapids and gorges. We'll photograph lovely castles and churches, on lakes, beside lakes and on hilltops, all with magnificent backdrops.

More details here.....

www.ianmiddletonphotography.com/tours/holidays/slovenia.html

My photography tours

Mysterious Ireland Tour



A weekend photography holiday to discover the Mysterious World of Ancient Ireland. I am the co-author of the book, *Mysterious World: Ireland*, which is an incredibly detailed history book/travel guide to Ireland's most sacred places, her legends, folklore and mythology. The book contains a wealth of information on the ancient sites you can still visit today.

More details here.....

www.ianmiddletonphotography.com/tours/holidays/mysterious-ireland.html

One Day Workshops - 1 to 1 or Groups



One day workshops are available in many great locations:

- Lake Bled, Slovenia
- Lake Bohinj, Slovenia
- Vintgar Gorge, Slovenia
- Jurassic Coast, Slovenia

Editing/post processing techniques using Adobe Photoshop or Lightroom

After taking your photos in the field, the next step is to process them in the digital darkroom. I'll show you how using Adobe Photoshop or Lightroom.


www.ianmiddletonphotography.com/tours/workshops/private-photography-courses.html

Part 1: Introduction to light & direction of light

Photography

From the Greek word which literally means:
“Drawing with light”

Light travels in straight lines and without it we cannot see.



Most objects do not give off their own light, so what we see is the light that is reflected off the subject into our eyes, and this in turn determines how the object or scene appears to us.

When light is low we don't see things so clearly. When there is zero light we see absolutely nothing, even if objects are right there in front of our eyes. So, in the same way that our eyes need light to see, the camera needs light to capture a picture.

Light is everything when it comes to photography, and it not only determines what we see, but also how we see it. All of us are aware that the world around us appears differently depending on the day, the weather, and time of day or year.

So, just as the light determines how we see things, it also dictates, to some degree, how our photo will look. Therefore, not only do we have to consider how much light is available, but also:

- The quality of the light
- The colour of the light
- The direction of the light
- The source of the light
- How the light is falling upon our subject and what effect it has

Light can come from a variety of sources:

- Natural light from the sun (best)
- Artificial light (bulbs etc.)
- Camera flash
- Candles

There are various types of light

1. Direct light (hard light from a small source) (sun, flash, street lights, candles) This produces high contrast images with lots of shadows and definition, along with bright, vivid colours
2. Diffused light (soft light from a large source) (cloudy day, big windows, large studio softboxes) This gives soft, low contrast images with little or no shadow, along with softer more subtle colours
3. Indirect light (Reflected light) (water, bounced flash, large surfaces). Softens and diffuses light. Can also help to fill in unwanted shadows.

Search for the light

It's all about the light and not about photoshop... While many believe that photoshop is some kind of magic tool for photographers, it isn't. The light is our magic tool. It determines from the very start how our image will look. You could never turn the image on the left into the image on the right using software and make it look natural.




On the left image cloud has thrown the tree and foreground into shade, so both are devoid of colour and texture. However, light is still falling on the mountains and the two people in the lower right corner. The patch of white brightly lit cloud behind has also helped make the people stand out.

On the right photo, the cloud cleared and sunlight fell on the foreground and tree, bringing out the colour and texture of the tree.

The different type of light here has created two entirely different scenes. On the next pages we will see just how the different types of light affect our scene.

Direct light effects

Direct light comes from one direction and therefore produces bright and dark sides to the subject it illuminates. The result, as you can see by the illustration to the right, is a high contrast scene with hard light, hard shadows and hard edges with lots of definition.



The picture of the snowboarder was taken on a bright, clear sunny day, so here direct light from the sun was illuminating the subject. Notice how bright the colours are, and how much detail, definition and sharpness there is on the subject. As the subject was in the air with nothing but the sky behind, then shadows were avoided. This was also taken in winter, when the air was clear and free of moisture. So take note of light quality. It's not enough that it's sunny. While the sun may be out, there could still be a lot of haze and moisture in the air, which affects the clarity of a scene. This is especially true in the summer months when it's hot. Time of year and the time of day are also important. When the sun is higher in the sky, around midday or during the summer months, then the light is harsh and hazy. Because this was taken on a mountaintop ski resort in winter, the air was crystal clear which has also resulted in a crystal clear image. During winter the sun is lower in the sky so the light is less harsh. And finally, snow is reflective, so the underside of the boarder and snowboard is also lit. So not only does this image have direct light, but also reflected light.

Unwanted shadow

When photographing in direct light, shadows can be a major problem. So you must look carefully when photographing under these conditions.

As you can see on the photo to the right the woman has cast a shadow over the child. You can also use a fill in flash to help reduce these shadows, but the best way is to avoid it completely.



On the other photo below you can see that the flash has also cast a shadow behind the child and the Winnie the Pooh bear.



The shadow has also been enhanced by the bright white background. So take care when using flash. Try to position your subject away from walls or other background surfaces.

Tip: On camera flash produces fewer shadows when shooting your subject straight on with the camera horizontal. To minimise shadows consider using an on flash diffuser.

Wanted shadow

Not all shadows are unwanted. When used correctly they can enhance, give shape, texture, depth and contrast to an image. A classic example of this is the moon. Study the following two photos:



This image is of the full moon when the light is shining directly upon it from the front. In this state there is zero shadow, so the moon looks very flat and two dimensional




This image is of the waning moon when the light is shining from the side. Notice how we can now see some of the craters near to the shadow area and also the moon looks more three dimensional

Direction of light

As you have just seen, when the subject is lit from the front it appears flat and 2 dimensional, whereas side lighting has produced shadows which has given the subject a more rounded 3 dimensional look. When working with any form of direct light, the angle that the light is coming from is also very important and can determine just how your subject appears. The following illustration helps to give you an idea of the effects the different angles create.

Angle of lighting




Direct light for landscapes

Much the same can be said for landscapes. We want some direct light to give shape, texture and colour to our landscape photos.




In this photo of Lake Bled in Slovenia, shot at sunrise, the sun coming up from the side has cast soft, warm light over the scene, but the shadows have also added shape, form and contrast to the land.

Creating shape, texture and colour




In this photo of a lavender field in Hampshire, the sun was at a 45 degree angle behind me and off to the left. As you can see the side lighting has created shadows between the rows, which helps to give shape and dimension to them. This was shot in the evening, so the sun was low in the sky; hence the colour temperature was lower. Also the sun was behind me. So this has all helped to add warmth and depth to the colour.

Creating shape, texture and colour



In this photo, taken on the same evening just a short while after, I moved to the opposite side of the field and positioned the sun at a 45 degree in front of me and off to the right. So I was partially shooting into the light. Notice again how the side lighting has created shape and texture to the rows. But here the purple colour is softer and lighter. A classic example of how the angle of light and how you choose to expose your photo can affect how your colours look. More about exposure later.

Creative use of direct light and shadow:



Direct light and shadow can be used for creative effect. In the backlit image above the sunlight, carefully positioned behind the tree to reduce its intensity somewhat, has produced a dramatic image with lots of shadow and contrast.



A classic example of direct backlight. Because the mountains are lit from behind and no direct light is falling on the front of them, the difference in brightness is extreme. Because of the high contrast, you need to expose for the highlights (bright parts) and then the mountains become silhouetted.

Diffused light effects

Diffused light comes from a large source rather than a single small source.

Technically, light is diffused when it passes through a transparent object such as a large white sheet, or a window. The result is that the light is scattered and spread and the diffuser become the light source rather than the original light source.





Image courtesy of Borb, Wikipedia commons

Therefore, the larger the diffuser, the softer the light. The figure above shows how the light is repeatedly scattered through increasingly larger surfaces.



The biggest example of this is the sky on an overcast day. Go outside on a sunny day and look at the sky. You'll be blinded by a single hard beam of light from the sun. But go out on an overcast day and you'll see that there is no single hard beam of light, but the whole sky is evenly lit.

Now look around and you'll see there is little or no shadow. This is because the light is scattered, as you can see in the diagram to the left, and lighting the land evenly, rather than directly.

Diffused light on landscapes

As you can see by the photo to the right, the light of a thick overcast day produces a scene with low contrast and less vibrant colours. Notice the almost complete absence of shadow here.



Diffused light is perfect for people



Diffused light is often the best light when photographing people portraits. As we learned earlier, hard direct light gives lots of definition and therefore also shows up the flaws and lines in our faces. Diffused light eliminates the problem of shadows, and also gives softer, smoother and more flattering results. Also under these conditions you don't have to worry about unwanted shadow.

The picture of the boy here was shot on a lightly overcast day

Use the window as a diffuser

This photo was shot using a large window as a diffuser. By getting them to stand directly in front and facing the window, I've got lovely soft light over both their faces.

Using a tree

On a sunny day the best way to photograph people is to put them in the shade. In the photo below a tree has provided bright shade to eliminate any shadows or harsh light.




Be careful of the background though. If it's too bright the difference could be too big for the camera to handle, and the background will be overexposed.

Diffused light for landscapes



The backlight in the photo on the left has been used to cast a long shadow from the tree trunk, leading our eyes into the image and giving it depth. Additionally, the early morning mist has diffused the light, so unlike the previous backlit images that were high in contrast, this image has lighter shadows, more subtle colours and an overall softer look to it.

Misty mornings: are also great for diffusing light and give us scenes like below.



Overcast days for black and white photos

In many cases overcast days are not really desirable for landscapes. A bland white or grey sky is not particularly photogenic. However, they are not a total washout. On these days you can often look for good black and white images. The key is to look for contrasting colours and light that will convert to light and dark tones in black and white.

This image doesn't look terribly exciting in colour.



But looks a bit better in black and white.



Mixed direct light and diffused light for landscapes



Like many things in life, to get the best results you sometimes have to mix things a bit. So on cloudy days don't sit at home cleaning your camera, because you might be missing some of the best moments. When the cloud is scattered or moving fast due to passing storms or high winds, it can produce a great mix of direct and diffused light; resulting in dramatic lighting effects. In this photo of the Ljubljana Moors in Slovenia, breaks in the cloud caused rays of light to burst through and illuminate different parts of the land at different levels of brightness. Direct light has nicely illuminated the lone tree, grass and vivid yellow of the dandelions. Notice how the trees in the background are more softly lit with diffused light and the area behind the lone tree is in shadow, thus making the lone tree stand out more in the scene. On days such as this always watch the weather and try to anticipate where and when the breaks will occur. It was raining when I spotted this scene, but I saw that it was a passing shower, so I set up my camera on the tripod, and under an umbrella, used the opportunity to setup my composition and focus on the tree. Then I waited there as passing drivers gaped at the madman getting wet while holding the umbrella over his camera. But when the shower passed and clouds broke, I got this shot.

Shooting into the light for creative effect.

Many will tell you to not to shoot into the light. Well, in most cases this is true. But shooting into the light, when done correctly, can produce some very creative effects. But what's important here is that the light is diffused somehow. The less diffused the light, the harder the shadows will be. When the sun is setting its strength is diminished somewhat. But add some light cloud, and its strength is diminished even more. The stronger the light, the higher the contrast and the harder the shadows will be.



As you can see here the strong light has turned the hayrack and forest into a completely blacked out silhouette. It's important here to ensure that your foreground objects can produce a nice, clear shape. A messy foreground produces a messy looking silhouette. Your silhouette must have a clearly defined shape; otherwise it's just a big black mess.



In this photo of Lake Bled in Slovenia, the sun was rising and was already quite high when it reached the church spire. Without the cloud the sun would have been much brighter and this shot virtually impossible. However, the cloud diffused the sun and therefore I was able to capture this image. The cloud has diffused the light falling across the mountains, and without it the mountains would have been a completely black silhouette.



This photo of the Supermoon rising over the church was also made possible by the passing cloud, which diffused the intensity of the moonlight. It was also shot at dusk, so there was still some ambient light in the sky from the setting sun.



The lower the sun, and the more diffused it is, will also determine how much detail you will get in the foreground. In this photo of Old Harry Rocks in Dorset, England, the thick layer of fog on the horizon and the low angle of the sun has produced very soft morning light and allowed me to capture the detail on the front of the cliff.

Conclusion:

So as we have seen, light has complete control over how we see things. A landscape, or your subject's appearance, is totally determined by the quality, colour, direction and hardness or softness of the light available. As you take your photographs, take some time to study how the light is illuminating your subject and the effect it has. Go out on sunny and overcast days and see how different everything looks. Look at how shadows shape the landscape. Even when you don't have your camera, watch and learn as you are going about whatever it is that you are doing. Study your favourite photos by other photographers and see how the light has affected each picture.

Landscape Photography Magazine



With a rapidly growing following and subscriber base we can now proudly claim the title of the leading online landscape photography magazine. Come along, join the journey, experience the future.



<http://www.landscapephotographymagazine.com>

Part 2 - How the camera sees and captures images

In order to understand photography, it's good to have some basic knowledge about how the camera works. So here we go:

Refraction

When light travels through air its speed is constant, but when it passes through glass or water it slows down. This causes the light rays to be bent, or refracted.



Our eyes and the camera use a convex lens to refract incoming light and direct it to a single focal plane, such as the film or digital sensor. The distance between the lens and focal point is called the focal length.

Summary of terms:

Focal point


- The refracted rays converge at a single point of focus, known as the focal plane

Focal length

- The distance between the lens and the focal point is known as the focal length

How we see images


Light passes through the lens after first passing through the pupil, and then converges at the focal point: the retina, which then sends the image to our brain via the optical nerve. As you can see the image is upside down, because the light rays are inverted, but our brain flips the image back upright.



Our eye is permanently exposed to light, hence we see moving images.

How the camera sees images

Just like our eye, the camera adopts a similar principle. Only instead of a pupil, it has an aperture. Light passes through the aperture, then the lens (or a series of lenses in most modern lenses), converges at the focal point: the sensor (digital) or film. The image is then sent to the camera's brain (microprocessor). Just as with our eye, the image on the sensor or film is flipped back upright by the camera's software.



The camera is only exposed to light for a period of time, known as exposure time. Hence it captures a still image.

SLOVENIA

ALPINE WONDERS PHOTOGRAPHY WORKSHOPS

Come and learn photography on either a 1 day or a 2½ day workshop in the stunning alpine region of Slovenia. We'll visit two beautiful glacial lakes: Lake Bled and Lake Bohinj and travel through stunning alpine valleys and mountain vistas, visit waterfalls, rapids and gorges.

We'll photograph lovely castles and churches, on lakes, beside lakes and on hilltops, all with magnificent backdrops.

www.ianmittletonphotography.com/tours/



Part 3: Lenses and how they work

The lens



This is the first point of entry and most important part of the camera. You can have the best camera body in the world, but put a cheap lens on and you may as well have a budget camera.

Imagine owning a top of the range BMW, and then putting a Lada engine inside. Or having 20/20 vision and putting on a


pair of badly scratched or low quality glasses.

So look after your lens, keep it clean and free from scratches. Also, when upgrading, think of the lens first. If money is an issue, spend it on a better lens rather than a better body.

Optical zooms and Focal length

As you saw earlier, light passes through the lens and falls upon the focal plane. In an optical zoom the distance between the lens and the focal plane is known as the focal length.

50mm – standard field of view equal to what we see with our eyes
Below 50mm = wide angle
Above 50mm = telephoto



How wide angle and telephoto work


As I explained before, 50mm is the optimal focal length.

The diagram to the right, provided by [Digital Camera World](#), helps to illustrate this. As you can see, the shortest focal length (11mm) has the widest angle of view. What falls upon the sensor is what is seen between those two outer points. Therefore:

Increase the focal length: the angle of light narrows, and thus the narrower the field of view. So essentially you are compressing the scene and reducing how much of it falls upon the sensor, effectively isolating a part of it. Think of it as cropping part of the photo away.

Decrease the focal length: the angle of light widens, and thus the wider the field of view. So you are increasing how much of the scene falls upon the sensor.

The photos on the next page illustrate this.




www.digitalcameraworld.com

Photo at wide angle



When the focal length is increased the angle of light will be reduced and only this much of the scene will fall upon the sensor



So the zoomed image will then look like this on the sensor



Wide angle lenses and their effect

A wide angle effectively stretches the image and allows a wider view than the normal 50mm will allow. Just like a telephoto allows you to get closer without actually moving further forward, a wide angle allows you get further away without actually moving further back. This can be useful when you don't have room to move back. But again, this comes at a price: *distortion*

The scene is actually bent or warped. If you look at those roadside mirrors that are placed at sharp bends or awkward junctions to enable you to see round the corners, it's a bit like that. The wider the angle, the more straight lines in your scene are bent and distorted. How much your lines are distorted very much depends on the angle at which you are viewing your object. This can be corrected using software, or it can be used for creative effect. Sometimes it is manageable:

Shoot level and straight: When you do this you will minimise the warping effect on objects in your image with straight lines.

Get low and shoot upwards: This accentuates the warping and when done properly can add drama to a landscape image.



Shooting upwards at 24mm

See how the chimney appears to be leaning and the building's sides are converging.



Straight on angle at 24mm

Here I stood upright and moved back a bit. See how the warping here is minimal.

Creative use of wide angle



18mm (23mm effective focal length – APS 1.3x sensor)

Like most things, we can also put this warping effect to creative use and to add drama to our photos.

In this photo, taken at Lake Bohinj, Slovenia, I moved in low and close using a wide angle. Here the subtle warping has accentuated the curve on the mountains. The close, low angle has also drawn the boat closer to give it a dominant place in the image and made it appear larger in the frame.

Using wide angle to exaggerate scale

When using wide angle, it has the effect of enlarging objects in the forefront of the frame, while making distant objects much smaller.



This photo, taken at Kimmeridge Bay in Dorset, was shot at 24mm. As you can see, by getting close to the rockpool it appears much larger and has become a dominant feature of the foreground. The hill and Clavell Tower, have been shrunk in size to exaggerate the distance. The distortion has also accentuated the clouds, which adds drama to the sky.

Using wide angle to exaggerate lead in lines



In the photo above, taken at Brnik in Slovenia, the angle at which the photo was taken would naturally have caused the horizontal lines of the hayrack to converge as they move from front to back. But, using a wide angle, getting low and close, and placing it at the edge of the frame, has pulled the front of the hayrack closer and the distortion has made it larger. Conversely, the end of the hayrack now appears smaller in comparison to the front, and so the converging lines have been accentuated. The wide angle has also exaggerated the size of the sunburst.

Correcting barrel distortion using computer software

The wide angle distortion is not always desirable, and not always avoidable.

However, it's possible to correct this using computer software such as Adobe Photoshop or Lightroom.

You can turn this.....



Into this.....




[Click here to watch my video tutorial on how to do it](#)

Telephoto effects for landscapes

While a wide angle makes foreground objects larger and distant objects smaller, telephoto has almost the opposite effect. When you zoom in you make *everything* larger. The photo below, also taken at Brnik, Slovenia, was shot from a distance using a 400mm focal length. By moving back to a distance and zooming in, I have made the background mountain a dominant feature of the scene, and the church now pales in comparison. Again, I have exaggerated the scale, only this time to make the background object appear larger in comparison to the foreground object.

Had I moved closer to the church and used a shorter focallength, the church would appear larger in the frame, and the mountain, by comparison, wouldn't be so large.



Never underestimate the power of a telephoto lens for landscapes

Telephoto lenses play a more predominant role in portrait photography (for reasons you will see later in the aperture section) and wildlife photography: the latter also for obvious reasons, (You don't really want to get close to a grizzly bear, now do you?). Shorter photo lengths and wide angles are often preferred for landscapes, but telephotos are often overlooked as a lens for landscape photography. But, as we have just seen & will see now, they can play a great role:



This dramatic sunset over the western mountains in Slovenia was taken from a church on a hill in the northeast, about 50kms away, using a 400mm focal length.




Here I have used a 320mm focal length to exaggerate the size of the setting full moon. The rapeseed was close to me, so unlike the previous photo, where the church was further away, the rapeseed appears larger in the frame.

A telephoto is great for sunsets and sunrises

A telephoto not only makes the sun much bigger in the frame, but can also isolate the area around the setting sun which is the most intense part of the sunset; as you can see by this photo taken from an apartment balcony in Ljubljana using a 400mm focal length.



As sunrises go, this was not exactly the most exciting. But by zooming in and isolating a part of the scene where the sun was rising, I have captured the best of the colour, and got a nice church in the shot too.



Incidentally, this is the same church from where I took the sunset photo on the previous page. This photo was taken about halfway between the church and those mountains.

Digital zooms

A digital zoom works on a similar principle of cropping and enlarging the image, but at the expense of image quality.

You will notice that if you use your digital zoom compared to your optical zoom, the optical zoom will produce better results. This is because the optical zoom captures the cropped image at full resolution, whereas the digital zoom crops into the full res image and the resulting image is at a lower resolution, and is then increased in size by the camera's software.

The following images illustrate this:



Original 12mp image



12mp image gets cropped in half



Image is then re-sized back to 12mp
(with loss of quality)

Unlike the optical zoom, there is no change in the angle of light. The focal length is not altered and essentially the original image is just cropped and re-sized using software within the camera. You can achieve the same effect with much more control by doing it yourself on the computer and using better software to obtain a higher quality end image.

If you have the capability, it's best to shoot in RAW and then crop your image to get closer. (See part 9)

Part 4: Focusing (auto and manual)

Every photo has a point of focus, and you nearly always choose this yourself; rarely should you let the camera decide for you. The focal point of a scene can be in a variety of places, therefore selection of different focal points is made by adjusting the lens.

Eyes: Just as our eyes can focus on different objects at different distances, so can the camera. They just do it differently. The eye can change the shape of its lens by using ciliary muscles to squash or relax the lens, which alters the refraction of the light.

Lens is thin or flat: the eye is focused on distant objects.

Lens is fat or squashed: the eye is focussed on close objects




Illustration by David Selwood

Camera:

Of course the camera lens is made of glass and cannot be altered in this way; therefore the lens itself is moved back and forth instead. By varying the distance between the lens and the focal plane we can change the focal point. Essentially the camera is making small adjustments to the focal length in order to focus on a given subject within the scene. This can be done manually or automatically.

When the gap measures the lens's given focal length, ie 50mm, then the focus is at infinity. This means that the focal point is far in the distance, such as the horizon in a landscape scene. As the focal length increases, the point of focus is closer to the camera. So with an object close to the camera, the focal length is slightly more than 50mm.




Illustration by David Selwood

Multi-segment focal points and how we can select our focus point.

Always think about your focal point; your point of focus is rarely in the middle of the frame.

Automatic focusing (AF)



Focus points selection options:

- Single point
- Multipoint

All digital cameras have multi-segment focussing which allows you to use several focus points as well as the main one in the centre. How many they have depends on the camera. It's important to note that the central focus point will always be the most accurate. That being said, the outer points are still very reliable and should be used when composing and choosing your point of focus.

Tip: The focus is set according to the distance between you and your subject. Any movement backwards or forwards, either of you or your subject, after the focus has been locked, will throw your subject out of focus. You will need to refocus

Single point: As the name suggests, this allows you to individually choose one of the points. This is very precise and can help you to focus more exactly on a very small area of the scene. As you can see here in each picture, a different focus point has been selected in each case.



Multipoint selection:

This option selects either all the points or multiple points and the camera will then automatically select a point, or an average of several points according to the scene it's seeing. This is useful when your subject is large, for tricky scenes where the light is low and for moving subjects such as people or fireworks.



The images above show an expanded AF, where several segments are selected and you can move them about the scene. This still gives you some control over the area you wish to focus on, but also makes it a little easier.



In the image above you can see that the whole 61 points have been selected. This is the full auto mode and the camera will choose the focus point from somewhere within that scene.



Centre focal point selected, focus is on the priest



Right focal point selected, so focus is now on the altar boy

Focusing modes

Most digital SLRs and some advanced compacts allow you to choose from three focusing modes:

One shot: Different cameras may have different names for this, as seen in the table below, however the principle is the same. When you choose this mode the focus will lock on your subject when you half press the shutter button and remain locked in that position as long as you hold the button half down. You are then free to move your camera without altering the focus position. This is ideal for static subjects that are out of range of the focus points. You can lock the focus and then reframe your shot to place the subject elsewhere within the frame.

Tip: Be careful not to move the camera back or forth because you will alter the distance between you and the subject, which in turn will render your subject out of focus and you will have to re-focus. When recomposing, ensure you only make the side to side movements, and keep them to a minimum.

Continuous shooting: This mode will lock on to your subject and track it while you are holding down the shutter halfway. The AF continues to autofocus until you press the shutter completely. This mode is typically used on moving subjects so as to ensure that the subject stays in focus.

One shot / continuous: This is an in-between mode, where the camera locks the focus but will re-focus should the subject move any significant amount.

Focus mode	Use
One shot: Canon cameras - One shot Nikon cameras - (Single servo AF-S)	Static subjects, landscapes
One shot / continuous: Canon cameras - AI focus Nikon cameras - Auto servo AF-A)	Static subjects that could move a little
Continuous: Canon cameras - AI servo Nikon cameras - Continuous servo AF-C)	Moving subjects



One shot mode

As the boy was standing still here, one shot mode was all that was needed.

Continuous mode

Here the boy was running through the puddle, and more importantly, running towards me. That meant the distance between the camera and him was changing.

By using the continuous autofocus mode, I was able to shoot a number of photos continuously, with the camera continuously focusing and tracking, so the boy remained in focus in each photo.

Had I used one shot mode and taken the photos continuously, without removing my finger from the shutter button, the first photo would have been in focus, but any subsequent photos would have been out of focus.



JURASSIC COAST

PHOTOGRAPHY WORKSHOPS


This coastline is packed with fantastic photographic locations.



Come and learn photography on a 2½ day workshop on the stunning Jurassic Coast in Dorset, England and capture dramatic sunrises and sunsets, crashing waves, moonlit evenings and star trails. Stretching along Dorset and Devon, the Jurassic Coast is so-named because its landscape and geology record 185 million years of the Earth's history.

www.ianmiddletonphotography.com/tours/

Part 5: The exposure triangle (shutter speed, aperture, ISO)



The three elements:

In order to capture our image onto the sensor or film we must expose it to light. This is known as exposure. There are three elements to consider when exposing for a photo. All three work together in a kind of cause and effect manner. In order to get the photo right, when you adjust one, you have to adjust another; whether this

is done automatically by the camera, or manually by the photographer. It's not as simple as choosing each setting and firing away. Adjusting each element also has an effect on the image itself:

- **Shutter speed** (determines how moving objects will appear in your image. A fast shutter speed will freeze movement, while a slow shutter speed will blur it.)
- **Aperture** (affects “depth of field”, which will determine how much of your background is either sharp or out of focus.)
- **ISO** (increasing this will also add more noise into your image.)

So to understand this, we need to look at each one in turn. As shutter speed is the most obvious (this is the clicking sound you hear when you take a photo) we will start with this.

Shutter Speed (AKA - Exposure Time)

Naturally, as our eyes are seeing constantly moving images, our retina is permanently exposed to the light.

However, this is not the case with photography. In order to capture an image you must expose the sensor or film to the light for a period of time, known as exposure time.



Image © Dreamstime

Inside your camera there is a shutter that acts as a kind of curtain. When the shutter button is pressed the curtain is pulled back and light is allowed to fall upon the sensor/film. The shutter is then closed and the image is frozen in place.

In essence, for the duration that the sensor/film is exposed the image is drawn upon it. With film the roll is moved on to another empty frame, and with digital the image is then transferred to the memory card and saved.

Shutter speed (exposure time) is measured in the time that the shutter is open, usually in a fraction of a second such as: 1/125 second (125th of a second).

Shutter speed adjustment is measured in stops:

- Full increments (double or half the previous speed)
- Half (1/2 a stop)
- Third increments (1/3 of a stop)

So for a shutter of 1/125, Shutter

- One stop slower is 1/60
- One stop faster is 1/250

The table to the right shows this.

Shutter speeds (stops)			Shutter speeds (stops)		
Halves	Whole	Thirds	Halves	Whole	Thirds
	1/8000			1/15	
1/6000		1/6400 1/5000	1/10		1/13 1/10
	1/4000			1/8	
1/3000		1/3200 1/2500	1/6		1/6 1/5
	1/2000			1/4	
1/1500		1/1600 1/1250	1/0.3		1/0.3 1/0.4
	1/1000			1/0.5	
1/750		1/800 1/640	1/0.7		1/0.6 1/0.8
	1/500			1 sec	
1/350		1/400 1/320	1.5 sec		1.3 sec 1.6 sec
	1/250			2 sec	
1/180		1/200 1/160	3 sec		2.5 sec 3.2 sec
	1/125			4 sec	
1/90		1/100 1/80	6 sec		5 sec 6 sec
	1/60			8 sec	
1/45		1/50 1/40	10 sec		10 sec 13 sec
	1/30			15 sec	
1/20		1/25 1/20	20		20 sec 25 sec
				30 sec	

Shutter speeds are a classic example of how the light draws the picture. Therefore, how long you expose for can make a huge difference to how your image looks. Any moving objects will be drawn according to the length of exposure.

Thus when there is movement in the scene:

A slow shutter speed (long exposure) will record this movement into what is called “motion blur”, but onto one image.

A fast shutter speed (short exposure) will freeze the movement.

Here are some examples of shutter speeds and their uses:

Shutter Speed	Example Use
1 - 30+ seconds	Night and low-light photos on a tripod. Also used for misty/silky effect on sea or other flowing water.
2 - 1/2 second	To add a silky look to fast flowing water. Landscape photos on a tripod for enhanced depth of field.
1/2 to 1/30 second	To add motion blur to the background of a moving subject. Carefully taken hand-held photos with image stabiliser.
1/50 - 1/125 second	Typical hand-held photos with short focal lengths. Rule of thumb for handheld is minimum speed must equal the focal length. Eg: 50mm = 1/50sec + 100mm = 1/100 +
1/250 - 1/500 second	To freeze everyday sports / action subject movement. Hand-held photos with long focal length (telephoto lens).
1/1000 - 1/4000 second	To freeze extremely fast, up-close subject motion.

At a glance - Effects:

Slow speed = blur

Fast speed = freezes

Camera shake: It's important to note that slow shutter speeds cannot be done handheld because your photo will be blurred due to vibration from camera shake. No matter how steady you think you are holding your camera, it's probably not enough.



Shutter speed 1/50 sec - This image was shot handheld. See how the slow shutter speed has resulted in a blurred image.

Minimum handheld shutter speed = 1/125 sec

This is what I consider to be the best speed to use handheld. But a lot also depends on your equipment, and the conditions you are working in.

- If it's cold, you will shiver.
- If your equipment is heavy (big long lens), you will struggle to hold it still.
- If you are working in an awkward place, or your having to stand tiptoe or crouch down for your shot, it will be harder to hold the camera steady.

Long lenses

For zoom or telephoto lenses, the rule of thumb is to shoot at a shutter speed equal to or higher than the focal length.

IE: 500mm = 1/500 sec



But of course it also depends on the type of lens. A cheap lightweight zoom will be easier to hold still than an expensive top of the range lens, which is larger and heavier.

The image below was shot handheld at 1/400 at 380mm using the lens in the photo above. It's a heavy lens, and so is the camera, so I took no chances.



Image stabilisation/Vibration Reduction

Some more expensive lenses have the above feature which allows you to shoot handheld at slightly lower shutter speeds. However, it usually only allows about two stops below normal, and again comes with a compromise: *Softens the image*. This might be acceptable for some portraits, but definitely not for landscapes.

Tripod or increased shutter speed?

Shutter speeds below around 1/125 sec (depending on how steady your hand is or how heavy your camera is) typically need a tripod, or some other form of support to keep the camera from moving. Even the slightest movement or vibration will cause unwanted blurring in your image and a loss of sharpness.

You can also use a beanbag when shooting over walls, from car windows or on the floor. When shooting in low light or in conditions that require a long exposure, we want to keep the image sharp and free from blurring due to vibration. So the only way to do this is to increase the shutter speed, or use a tripod.

However, a tripod can only be used if your scene is still. If people are in your scene then they will be blurred, even if they are standing still. Like with holding a camera still, people cannot stand perfectly still no matter how hard they try.

Also watch out for leaves or grass blowing in the wind, or boats floating on water (unless you want this effect). Study your scene to see if using a tripod will work, or whether you have to increase the shutter speed.

Important note: If you are using a fast shutter speed, a tripod or other support, make sure you turn off the image stabilisation function. If you don't then your image will be blurred because the camera assumes there is camera shake when it's on and tried to compensate regardless. If there is no camera shake, then it will create it.

Unwanted Motion Blur

Although setting the right shutter speed avoids camera shake blur, there is also the problem of motion blur when it's not wanted. When people, especially children and babies, are moving then you need to consider how fast they are moving and



increase the shutter speed accordingly.

1/60 sec (moving foot and hand are blurred)

Although this was shot with the image stabiliser switched on avoid camera shake, moving subjects can also cause blur when the shutter speed is too slow.

You either need to increase the shutter speed to at least 1/200 sec in a situation like this, or keep the subject still (not so easy with babies!)

Avoiding Unwanted Motion Blur

In order to avoid this problem, you either need to increase your shutter speed to freeze the movement, or like I did here, be patient and wait for the movement to stop, then be ready to quickly take your shot. Sometimes the situation won't

allow for a faster shutter speed.



Unavoidable Motion Blur

Sometimes it's simply not possible to avoid. On this photo taken during the low light of dawn a long exposure was needed. Even though it was morning and the lake was still, there was still some slight drifting of the boats. I exposed for 20 seconds praying for as little movement as possible. Only the boats on the far left and right moved enough to create some blur. But overall I think the effect worked quite well.

20 second exposure



Long exposures (creative blur)

Sometimes we want to use blur in our images to creative effect. This is especially true with water, clouds and even people or vehicles. Below are a few examples, again all shot on a tripod.

Fast flowing water becomes smooth and silky during long exposures

1/0.3 sec




1/30 sec

This shorter exposure has partially frozen the water but still left some sense of movement.




15 sec


This much longer exposure has created a dreamy effect on the water.



10 secs



1/4 sec



8 sec

Long exposures create a misty effect from the crashing waves on the sea



30 sec

The longer exposure also added cloud movement




324 sec

This very long exposure has created super long cloud movement and some star trails



1/400 sec

Even though this is a fast shutter speed, as the duck's wings are beating extremely fast this was just the right speed to create a slight motion blur on the wings



1/60 sec

Medium shutter speed along with panning produce dramatic sports/action shots



10 secs

The slow shutter speed here has not only been used to smooth out the sea, but also to blur the grass blowing in the wind.



A Great example of how light draws our image

Ghost image – During a long exposure when a subject is not in the frame for the full exposure period then we can get ghosting.



During this 30 sec exposure I stood in the frame for about 25 sec then moved away (very fast). As I was present for most of the exposure the light had started to draw me on the sensor, but because I moved away before the exposure time was up, it started drawing what was behind me. Therefore we ended up with an opaque picture of me in the scene.

However for ghosting or blurring to happen, the subject must be in the frame for enough of the exposure time, otherwise the person or people will be erased or not drawn. For example, if you set up a tripod in a busy train station where people are constantly walking past, and use a very long exposure then the result will be a picture of an empty train station. Also when shooting a street at night and someone walks in front of the camera, they will not appear on the photo if the exposure was long, say several seconds.

Practice effects like ghosting at night or in the evening, using yourself as the subject. Use the camera's timer to start.

Fast exposures – freezing your subject

1/1000 sec:



Fast shutter speeds will freeze any movement in your photo. How fast a shutter speed is required very much depends on the following things:

- How fast your subject is actually moving
- How fast it appears to be moving

The latter may sound a bit strange, but it's all about perspective. Next time you are out get a friend to run, first parallel to you (across the width of the frame, like the boy in the photo), then towards you at the same speed. You'll see that when the person is coming towards you, it doesn't seem so fast.

Different perspective

1/800 sec



Obviously the horses were running much faster than the boy, but as they were moving in my direction, towards me, 1/800 sec was fast enough to freeze the action.

1/500sec



1/1250



Camera settings

Many cameras have preset modes you can select which do the work for you and usually comes in the form of subject matter. In the case of shutter speed here are the options available:

Preset Modes

Sports mode: In this case for fast action photos requiring a fast shutter speed, sports mode should be selected.



Creative mode (let's you take some control)

The other mode is creative mode, where the photographer has some control over the settings. This comes in the form of a priority.

TV (Time Value) or S (Shutter): Shutter priority means that the user chooses the shutter speed and the camera then takes care of the aperture settings. This way you have full control over how much you freeze or blur your subject.

Aperture

In order to understand the camera's aperture, it helps to compare it to the pupil in our eye.



Our eye: - Iris and pupil

In our eye light enters via the pupil. The iris covers our pupil and adjusts its size according to the brightness of the light. In bright light it expands to cover the pupil, thus the pupil is small and restricts the amount of light that enters the eye. In low light the iris retracts, thus the pupil is large and allows more light to enter the eye.



Small pupil in bright light




Large pupil in low light

The camera's aperture:

Like our eye, the camera also has a method of increasing or restricting the amount of light that passes through its lens. Instead of a pupil, it has an aperture, a hole if you will. It works in a similar way to our iris and pupil. A mechanical iris works to set the size of the aperture hole. When you press the shutter to take your photo, the aperture blades close in to set the aperture just before the shutter is opened.

You can see this by pressing the depth of field preview button on your lens (if you have one)

Aperture sizes:



Aperture sizes are determined by $f + \text{number}$ (also known as an f-stop)
The higher the number, the smaller the aperture. See diagram above

Example apertures and a size chart

F -Stops		
Halves	Whole	Thirds
	F2.8	
F3.3		F3.2 F3.5
	F4	
F4.5		F4.5 F5
	F5.6	
F6.7		F6.3 F7.1
	F8	
F9.5		F9 F10
	F11	
F13		F13 F14
	F16	
F19		F18 F20
	F22	
F27		F25 F29
	F32	

To the left you can see a chart depicting the range of apertures available. Just like with the shutter speeds, you can use whole stops, half stops and third stops.

The range of apertures available will very much depend on the lens you have. In a DSLR the aperture ring is in the lens, not the camera. Most lenses start at around F4.5 - F5.6 and go up to F22. The F2.8 size is usually found on much more expensive lenses. Smaller apertures of F32 upwards are usually found on expensive zoom and telephoto lenses. My Canon L series 100 - 400mm goes up to F40.

Aperture and focal length:

Although apertures come in f numbers, the actual dimension of the hole depends upon the focal length. The dimension can be calculated thus:

Focal length divided by F stop

Therefore the aperture of a 50mm lens at f/8 will be a circle with diameter of
 $50/8 = 6.25\text{mm}$



The aperture of a 100mm lens at f/8 will be a circle with diameter of
 $100/8 = 12.5\text{mm}$

Effect: - Depth of field

Depth of field is the distance in front of and behind your point of focus that will also be in focus. The aperture setting affects the depth of field as follows:

A smaller aperture (f16) will result in a larger depth of field, so more of the scene will be in focus (great for landscapes)

A large aperture (f4) will result in a small depth of field, so less of the scene will be in focus. (great for portraits)



Two other things affect depth of field

Focal length – the longer focal lengths reduce the depth of field even more because as we saw earlier, the longer the focal length, the larger the hole. So although the F number is the same, the hole is actually bigger. This means that the depth of field you get from an F16 at 50mm, is larger than an F16 at 200mm.

Distance from your point of focus – the closer you are to the point of focus, the more the depth of field is reduced. Conversely, the further away you are from the point of focus, the larger the depth of field.

At a glance – F-stop vs Aperture size	At a glance – F-stop vs Focal length
Large number (F16) = small hole = large depth of field	Short focal length = smaller hole = larger depth of field Ex: at 50mm at F8 - $50/8 = 6.25\text{mm}$
Small number (F5.6) = large hole = small depth of field	Long focal length = larger hole = smaller depth of field Ex: at 200mm at F8 - $200/8 = 25\text{mm}$

Hyperfocal point: (www.dofmaster.com)

The depth of field is not equal on both sides, and is actually shorter at the front than at the back of your point of focus. Depth of field extends rough 1/3 in front of your point of focus and 2/3 behind. This is important to remember when taking landscape shots where you want to maximise your front to back sharpness. The simple way to do this is to focus about 1/3 of the way into your scene. For even more accuracy you can use a hyperfocal point chart, or special software which you can download for free at: www.dofmaster.com

See below for an example:




Illustration by David Selwood



F16 at 50mm

Large depth of field has kept the object behind acceptably sharp



F5.6 at 50mm

Narrow depth of field plus the slight increase in distance between the boy and the object has thrown the background more out of focus



F16 at 105mm

At a small aperture the increased focal length and distance between the boy and the background object still throws everything out of focus




F5.6 at 105mm

A longer focal length and larger aperture increases the background blur even more.



F16 at 24mm

Conversely, at shorter focal lengths (wide angle in this case) we can increase the depth of field when background objects are further away. Notice how the background is sharper in this image than in the previous one shot at F16 at 105mm



F5 at 25mm

Again, notice how the background is not as blurry as the photo taken at F5.6 - 105mm



Aperture - f16 Focal length - 24mm

For landscapes we want a large depth of field to get maximum sharpness across the scene



Aperture - f20 Focal length - 24mm

Great for portraits



Aperture f7.1 – Focal length 82mm

A narrow depth of field has resulted in:

- The focal point, the woman, being sharp
- The rest of the scene is blurry.
- This effectively isolates our subject from the background and makes it stand out

Choosing where to focus

It's not only where you stand, but where you focus that determines how much of the background is in or out of focus



Aperture – f5.6 - Focal length - 85mm

With the focus on the boy and the large aperture, he now stands out in the photo and the priest and man behind are blurred.

Notice how the blurring increases the further back you go in the picture.

Focusing in the middle

With the focus on the priest, notice how the man in the background is now less blurred and the boy is now blurred.



Aperture – f5.6 Focal length - 85mm

Getting rid of messy backgrounds

With an even longer focal length, we are able to further reduce our depth of field and blur the background even more. This is perfect for messy backgrounds which might otherwise distract from our subject. This way we can completely isolated our subject from the background, and, in this case, our eye is drawn straight to the kitten and not to the background.



Aperture f5.6 – Focal length 400mm

Creative use of depth of field


We can also use this effect in a creative manner. With the Canada goose the grass behind has been reduced to a pure green background by the long focal length and large aperture.



Aperture f7.1 – Focal length 400mm

www.ianmittletonphotography.com

Here I have focused on the cat, and the narrow depth of field has put the girl out of focus. This way our eye is drawn to the cat first, then into the scene and to the girl. The narrow depth of field has also given us a sense of distance and further enhances the image of the cat following its owner.



Aperture f5.6 – focal length 105mm

www.ianmiddletonphotography.com

Mistakes

Think about your point of focus.

Choose your point of focus wisely when shooting with a large aperture, long focal length, and getting very close because your depth of field is greatly reduced.

BAD



Aperture f5.6 – Focal length 105mm

Focal point – right eye

The narrow depth of field has thrown the eye in front out of focus.

GOOD



Aperture f7.1 – Focal length 105mm

Focal point – nose

The slightly smaller aperture and focus on the nose and now widened the depth of field and brought the front eye more into focus.

Think about using a smaller aperture



Aperture f8 – Focal length 105mm

When there are two people in your photo, think about their distance apart, not sideways but between you and the camera. Although they are standing next to each other, one might be a little closer than the other. Or, as in the photo below, when a mother is holding her baby, the baby could well be slightly in front of the mother and thus a little closer to the camera. When getting in close and using large apertures, again the depth of field is greatly reduced.



Aperture f9 – Focal length 105mm

With the focus on the mother's eyes, that extra one stop on the aperture has put the baby's face more in focus.

Camera settings

As I said before, many cameras have preset modes you can select which do the work for you and usually comes in the form of subject matter. In the case of aperture here are the options available:

Automatic Modes


Portrait Mode: This mode will set the largest aperture possible with the lowest shutter speed possible. This way the background is thrown out of focus and your subject is made to stand out.

Landscape Mode: This mode selects the smallest aperture possible under the conditions at the time to maximise front to back sharpness.

Creative Mode

AV (aperture value) or A (aperture): This comes in the form of aperture priority, meaning that the user chooses the aperture and the camera then takes care of the shutter speed settings. This way you can choose how much front to back sharpness or blur you want.

ISO



In the days of film, ISO was also known as film speed. Anyone who is old enough to remember shooting only in film might also recall that when they bought film, alongside the number of photos it would also have a number such as 200, like in the photo here. This number denotes the film speed. So the roll of film here has a film speed of ISO 200.

Digital camera sensors have been designed to emulate ISO film speeds to allow photographers the same, and in fact more, benefits that increasing and decreasing the ISO brings. But in order to understand digital ISO, it helps to also understand how ISO works with film.

Image capture devices

Film

Film is coated with tiny pieces of silver halide crystals. These crystals react when exposed to light and change, depending on the amount of light that falls upon them.

Silver Halide Crystals




Photo Copyright © 2011 Kodak. Used with permission.

Smaller pieces react slower to light and larger pieces react faster to light. The size is denoted in the film's ISO, which is a measurement of the film speed.

Hence:

ISO 100 is slow film

ISO 1600 is fast film

Slow film needs more light to capture a picture, therefore is best used in bright situations. In low light the film must be exposed for longer

Fast film needs less light to capture a picture, therefore is ideal for low light situations and won't need to be exposed for as long as slow film.

Noise - the cost of using a higher ISO

Because film with a higher ISO contains larger pieces of silver halide, the larger pieces show up on the resulting image as grain, and when an image from this is blown up you will see the grain even more. On the other hand, as low ISO films contain smaller pieces of silver halide, there is less grain and the picture remains smooth and sharper even when blown up in size.

Think of it as a mosaic with hundreds of tiny pieces making up one big picture. Now imagine that one mosaic has larger pieces, while another has smaller pieces.



Image shot on ISO1000 film © Eddi Laumanns (RX-Guru)/Wikipedia




Blown up the grain becomes more obvious

Digital Sensor

Digital sensors use tiny photodiodes that allow an electrical current to flow when light is placed upon them. Think of it as a switch that is turned on when a light is shone upon it.

To make a photodiode react faster to light you must electrically increase its sensitivity. So in digital sensors ISO sensitivity is emulated, and thus allows us to change the ISO settings in the camera. An obvious advantage to this is that we can do it on a per image basis and not have to change a roll of film.



Just like with camera film though, this advantage comes at a price: *noise*. Essentially, the more you increase the sensitivity of the sensor, the more electrical noise you introduce into the signal. It's a bit like your old TV having a bad signal. The picture is fuzzy because of noise generated by electrical interference in the atmosphere.


Noise is worse with cheaper sensors, and better on larger and more expensive ones. The smaller the sensor, and the more pixels it contains, the worse the noise. However, digital camera manufacturers are making huge advances with reducing noise.

There is also a lot of good software out there that can reduce noise in an image, although it does soften the image.

Noise is more noticeable on computer screens and when making large prints (depending on the quality of the noise). It's also more noticeable in dark images, or black parts of your photo. Cheaper sensors can suffer from colour noise.

ISO 1600 on Canon EOS 300d (budget SLR)

This camera is old. It's a smaller sensor with a resolution of 6mp.



Notice the red colour noise on the white shirt.

ISO 128000 on a Canon EOS 5D m3 (Professional SLR)

This camera not only has a full frame sensor (35mm - same as film) but is also a higher end SLR, so the noise is much less noticeable.



ISO 128000 on a Canon EOS 5D m3 (Professional SLR)

By using noise reduction software we can reduce the noise in an image shot at a high ISO. Again it comes at a price: *softening*
On portraits this is not such a problem as it smoothes out the skin. But it can be a problem with landscapes as we lose sharpness.



ISO sensitivity	
Whole	Thirds
50	
	64 80
100	
	125 160
200	
	250 320
400	
	500 640
800	
	1000 1250
1600	
	2000 2500
3200	
	4000 5000
6400	
	8000 10000
12500	

ISO settings are measured in numbers, as indicated in the table to the left. As the number increases, so does the sensitivity.

Traditionally the camera film's ISO was measured in whole stops, one stop being double the lower stop, or half the higher stop. i.e. 50 100 200 etc

However, with digital sensors having more control over sensitivity they can now offer 1/3 of a stop, offering a much wider range of sensitivity options.

How high the ISO goes will depend on your camera. As manufacturers are continually improving their sensors, ISO ranges are ever increasing. Nonetheless, you should be careful because while your camera may offer a high ISO such as 6400, you may find that the noise at this level is awful and renders the shot unusable. Remember that noise is also more prevalent in dark or black areas, so if you are shooting at night or in a dark place, you might want to think twice about how high you set the ISO.

Tip: take some sample shots on your camera at each ISO setting to determine at what point the noise becomes too bad. Then you will know how high you can go without compromising on quality.

At a glance
Higher number = shorter exposure time = more noise
Lower number = longer exposure time = less noise

Cause and effect

As we are learning with photography, nothing is without consequence. The same applies when setting your shutter speed, aperture or ISO: they all affect one another and ultimately a compromise is required. Here is a breakdown of the effects they have on one another:

ISO vs SHUTTER SPEED (camera set to aperture priority mode):

At a glance

ISO effect on shutter speed:

- ISO 200 = 1/60sec
- ISO 400 = 1/125 sec

Increase ISO = Increase shutter speed

Decrease ISO = Decrease shutter speed

ISO + 1 stop = shutter speed +1 stop

ISO -1 stop = shutter speed -1 stop

As we saw earlier, increasing the ISO increases the film / sensor's sensitivity to light. In the case of shutter speed, this means that when a higher ISO is set, it will react faster to light and thus need less exposure time to create the photo. So if the camera is set to aperture priority and you have chosen your aperture size the shutter speed is

automatically set. But if you increase the ISO, the shutter speed will be increased also. Conversely, if you reduce the ISO the shutter speed is also reduced.

Advantage: Increase the ISO to get a faster shutter speed without increasing the aperture or vice versa.

Reason: To avoid reducing your depth of field and keep more of the scene in focus or to deliberately reduce your depth of field and throw the background and other subjects out of focus.

Use: Freezing fast moving subjects in low light blurring them in good light. Increasing or reducing the smoothness of water.

Examples: Sports, people, flowing rivers, waves crashing against rocks or the beach.

Compromise: More noise in the photo when increasing the ISO.

ISO vs APERTURE (camera set to shutter priority mode):

At a glance

ISO effect on aperture:

- ISO 200 = F11
- ISO 400 = F16

Increase ISO = Decrease aperture size

Decrease ISO = Increase aperture size

ISO + 1 stop = aperture -1 stop

ISO -1 stop = aperture +1 stop

Again, we have the same effect with aperture. When the camera is set to shutter priority and you have chosen your shutter speed, the aperture is automatically set. But if you increase the ISO, the aperture will decrease in size because less light is required. Conversely, if you reduce the ISO, the size of the aperture will increase.

Advantage: Increase the ISO to get a smaller aperture without having to decrease the shutter speed or vice versa.

Reason: To increase your depth of field and get more of your scene in focus, or vice versa, without having to compromise your shutter speed.

Use: There may be times when you want to set the shutter speed in order to get the precise amount of motion blur or freeze, but your depth of field is too narrow or too wide. Increasing or decreasing the ISO will allow you to control your depth of field without compromising your exposure time.

Examples: Creative sports shots, people, flowing rivers, waterfalls and ocean waves.

Compromise: More noise in the photo when increasing the ISO.

SHUTTER SPEED vs APERTURE (camera set to shutter priority mode):

At a glance

Shutter effect on aperture:

- 1/125= F16
- 1/250= F11

Increase shutter = Increase aperture

Decrease shutter = Decrease aperture

Shutter +1 stop = aperture -1 stop

Shutter - 1 stop = aperture - 1 stop

With the camera set to shutter priority, we choose our shutter speed and the aperture is set automatically. But again, if you increase the shutter, you also increase the aperture size, and vice versa, because a faster shutter speed needs more light, and therefore a larger aperture is required to get it.

Advantage: Increase or decrease the shutter speed without having to adjust the ISO.

Reason: To control how much you freeze or blur your subject.

Use: Freezing moving subjects in low light or deliberately adding motion blur.

Examples: Sports, people, flowing rivers, waves crashing against rocks or the beach.

Compromise: A faster shutter speed will increase the aperture and thus result in loss of depth of field and front to back sharpness. A slower shutter speed will reduce the aperture and result in an increased depth of field and more of the scene in focus where it may not be wanted.

APERTURE vs SHUTTER SPEED (camera set to aperture priority mode):

At a glance

Aperture effect on shutter:

- F16 = 1/125
- F11 = 1/250

Increase aperture = increase shutter speed

Reduce aperture = reduce shutter speed

Aperture + 1 stop = shutter + 1 stop

Aperture - 1 stop = shutter - 1 stop

Well, by now you get the picture.

Advantage: Increase or decrease the aperture without having to adjust the ISO.

Reason: To keep your depth of field large or small and reduce noise.

Use: Maintaining front to back sharpness in a landscape scene or increasing depth of field to include multiple subjects and keep them all sharp. Reducing depth of field to deliberately throw the background or other subjects out of focus.

Examples: Sports, people, landscapes.

Compromise: Reduces shutter speed and increases motion blur or vice versa.



**CREATIVE
PHOTOGRAPHY
WALES**

Inspiring Landscape Photography with Nigel Forster



One to One Courses

Individually designed to meet your needs from One Day to Long Term Mentoring



Day Workshops

Throughout Wales, the West of England and London with small groups of up to 6



Short Break Workshops

Great Locations in the UK and Beyond with up to 4 people ensuring individual attention



10% DISCOUNT OFFER

Book any Course or Workshop before end of March 2017 with Voucher Code CPW2017

Nigel is an expert on creating stunning images with simple composition and natural light control. Book a course or workshop as well as seeing some fantastic UK scenery and Nigel will pass on his knowledge and skills, developing your photography to a new level.

CONTACT NIGEL:

Email: nigel@creativephotographywales.com

Tel: +44 (0)1874 676402 / +44 (0)7815 089835

www.creativephotographywales.com



BIPP
British Institute of
Professional Photography
Qualified Associate (ABIPP)



Part 6: White Balance

Light temperature:


As the title indicates, light has a temperature, which is why some light seems warmer (more red) and some colder (more blue). Colour temperature is measured in kelvins (K). The most obvious example of this is candlelight, which has a very low colour temperature and appears warm (more red). Tungsten light (household light bulb) also has a low colour temperature. Below is a chart showing the colour temperatures of a variety of light sources.

Color Temperature	Light Source
1000-2000 K	Candlelight
2500-3500 K	Tungsten (household light bulb)
3000-4000 K	Sunrise/Sunset
4000-5000 K	Fluorescent light
5000-5500 K	Camera flash
5000-6500 K	Daylight with clear sky (sun high in the sky)
6500-8000 K	Overcast or cloudy sky
9000-10000 K	Shade or heavily overcast sky

At a glance
Colour temperature of light: <ul style="list-style-type: none">• Low colour temperature, 1500K is redder• High colour temperature, 9000K is bluer
Example: <ol style="list-style-type: none">1. Midday sun has a higher colour temperature and is cooler2. Sun at sunset has a lower colour temperature and is therefore redder


How does it affect my photo?

Camera film is colour balanced for daylight conditions. If you ever took photos inside with the lights on and without using a flash you probably noticed you got a red colour cast over the entire image. This is because there is a difference between the colour temperature of the film and the light source. In the image below the white balance has been set to daylight, giving the same results.



Setting the correct white balance

With film we would have had to buy a special tungsten balanced film to shoot indoors under artificial light and make your whites white, so to speak. But like ISO, we have the advantage of being able to change the white balance per image. For these conditions we need to set it to the tungsten setting. Hence the colour cast is gone, we see more natural looking skin tones, and the whites are white.



But why is it red, when we can see it as white with our own eyes?

Because our eyes have their own internal auto white balance. We have the ability to adapt and see most whites as white no matter what the colour temperature. The camera cannot.

The idea of white balance is to match the colour temperature setting of the camera with the temperature of the light source, therefore rendering whites and other colours correctly. Although you can set the actual colour temperature in kelvins using the “K” setting, there are also a bunch of presets that are much easier to use and understand.

The image with the white balance set to daylight has a red cast because the camera’s colour temperature has been set higher than the temperature of the light source.

Camera = 5500k Light source = 2500 – 3500k


When the camera’s setting is higher than the light source you will get a red colour cast. When it is lower, you will get a blue colour cast.

Here is a chart that shows the preset against the colour temperature. Refer to your camera’s manual for the symbols associated with them.

Mode	Colour temperature (approx. K)
Auto	3000 - 7000
Daylight	5200
Shade	7000
Cloudy, Sunset	6000
Tungsten	3200
White fluorescent	4000
Flash	6000
Custom	2000-10000

Outdoors on a clear day we can see the tungsten setting has rendered the image with a blue cast because it's a lower temperature than the light source.

Camera = 2850k Light = 5500k




Daylight setting for outdoors on clear days with sun up high




Here on a clear day the shade setting has rendered the image with a reddish brown tone, making the blue sky and the white clouds look dirty brown because the camera setting was higher than the light source.

Camera = 7500k Light source = 5500k



Camera set to daylight



Moonlit nights



Moonlight has a lower colour temperature and as this was set to daylight it's too warm.



Durdle Door beach, Dorset, UK – Ian Middleton

White balance to fluorescent (3800k)

Creative use of white balance

We don't always want to get the white balance correct. Get creative sometimes:

As a warm up filter

Film landscape photographers nearly always have a warm up filter on their lenses when shooting at sundown or sunup. This filter is red and is used to enhance the warmth of the scene by adding more red overall. With digital this is no longer necessary because we can do the same with the white balance by increasing the colour temperature setting on the camera.

By setting the white balance to shade (7500k) I have enhanced the colours of this misty sunrise. Be careful though, as this technique doesn't suit all images. If there is blue sky in your image, it will be rendered dirty brown like in the photo we saw earlier. Remember that this will put a reddish-brown colour cast over the entire image, so it's only suitable when the scene already contains mostly red or brown, such as sunrises, sunsets and autumn scenes.




Misty sunrise at Lake Bled, Slovenia - Ian Middleton

As a cooling filter

Another filter is the cooling filter, which is blue. This is used at dusk or dawn to enhance the blue tones seen at twilight (also known as the blue hour)

Although your manual may tell you to set your white balance to cloudy for twilight periods, it's actually better to set it to daylight to retain the lovely blue tones you get during the twilight period at dawn or dusk.



Dawn at Losinj Island, Croatia – Ian Middleton

Creating other effects using the white balance

For this photo I set the white balance to daylight (5500k)



Lake Bohinj at sunset, Slovenia - Ian Middleton

Creating other effects using the white balance

For this version I set the white balance to fluorescent (3800k)



Lake Bohinj at sunset, Slovenia - Ian Middleton

IRELAND.MYSTERIOUSWORLD.COM

Mysterious World: Ireland represents the next generation of travel guides.

More than just an uninspiring listing of names, numbers and dates, as are most travel guides, Mysterious World: Ireland takes you behind the scenes to help you to understand the history, and the mystery of the sacred isle.

Starting with The Mystery, you will delve deep into Ireland's legendary past, and the mysterious people who invaded Ireland time and time again in search of their destinies.


In The History, you will discover Ireland's known history up to the time of Cromwell, and receive a thorough understanding of what it is to be Irish.

Finally, in The Journey, you will be taken along one man's journey throughout all the four ancient provinces.

A full colour, fully illustrated guide with celtic artwork and photography from The Journey.

Buy your copy online at the following retailers

*Amazon.com
Amazon.co.uk
Book Depository*



Part 7: Measuring the light

Unfortunately it's not simply a case of choosing your settings and away we go. In order to get the right photo, we have to measure the amount of light in the scene. Once this is done, we or the camera can calculate the appropriate settings.

In the case of using shutter priority, we choose the shutter we want (having already set our ISO), then measure the light to calculate the aperture needed to get the scene exposed the way you want. If you don't do this correctly, you will end up with a dark (underexposed image) or bright (over exposed image).

Test:

Manually set your camera to 1/125, F16 & ISO 200 in a room and take a photo. You will see that the picture will be underexposed (dark).

Now go outside to somewhere bright and set the camera to 1/30, f5.6 & ISO 800. You will see that the picture will be overexposed (too bright)

How it works

When you half press down the shutter button, not only does the autofocus run, but the camera's built in light meter is also measuring the light. There are four different metering modes (depending on which camera you use):

1. Evaluative Metering
2. Partial Metering
3. Spot Metering
4. Centre Weighted Average Metering


Evaluative Mode

The evaluative meter setting reads the light from a wide range of the scene and then calculates the average of that scene. This is suitable for landscape shots with a wide range of bright and dark areas.




Partial Mode

The partial meter setting reads the light from the circle indicated here and again takes an average from within that circle.




Spot mode

The spot meter setting takes its reading from the centre focal point. This is best for measuring the light at an exact point of the scene, and also for portraits to take a light reading from the subject's face.




Centre Weighted Mode

Centre weighted average meter setting is weighted for the centre and then averaged out for the entire scene.



The Histogram:



The histogram shows us the tonal range within the image. It's shown in graphical form and is a great indicator of whether or not we have exposed our image correctly.

0 255

Shadow Midtones Highlights

1. 0 far left indicates how much shadow detail is present
2. 255 far right indicates how much highlight detail is present
3. Midway point indicates how much midtone details is present

You can also think of these as colours:

- Shadows = Black or dark colours
- Midtones = Grey or muted colours
- Highlights = White or bright colours

Anything beyond 255 is completely white with no detail present.

Anything below 0 is completely black with no detail present.

Clipping:

Notice that on the far right there is a spike. This means that the image to which this histogram belongs has some areas which are completely white with no details. This is known as clipping.

What you see is what you get?..... NO

The tonal range (or range of luminosity) of a photo is much lower than our eyes. We can see more detail in a wider tonal range than this histogram.

So in a high contrast scene, where the difference between the darkest point and brightest point is very big, we will be able to see the detail in the darkest part and the brightest part, but the camera will not.



This photo is a good example of this. While the sky and the water were very bright, the mountains were quite dark in comparison.

This photo was metered for the church and the mountains. These are nicely exposed, showing lots of detail. But because of the extreme difference in brightness, the sky is now too bright and overexposed.

Notice on the histogram how the far right side is clipped. Also notice how the sky is lacking detail. The pure white parts are off the scale and contain no detail.

With my eyes I could see more detail in the sky.

Overexposure (too bright):

When an image is too bright it is considered to be overexposed. This means that the film or sensor received too much light, a result of the exposure time being too long.



Notice how on the histogram that everything is pushed to the right. This is usually an indication of overexposure.

Underexposure (too dark)

When an image is too dark it is considered to be underexposed. This means that the film or sensor didn't receive enough light, a result of the exposure time being too short.



Notice how on the histogram that everything is pushed to the left. This is usually an indication of underexposure.


Well exposed

A well exposed photograph, like the one below, will usually have a good spread of details across the histogram and not be too bright or too dark.



Correct exposure, is there such a thing?

Not really. While there are many cases where the exposure is incorrect, there isn't a definitive correct exposure because it is all down to what the photographer wants to achieve.




A photographer doesn't photograph a scene, a photographer makes a photo of a scene. How you choose to make that photo depends on many things, not least of all how you choose to expose for the scene.

In the photo above I measured the light more towards the highlights. It was shot at 30 secs, F16 ISO 50. The intention here was to make it slightly darker to capture the depth of colour in the sunset, the mood of the sea and create an overall darker image with deeper, bolder colours and more contrast.

A Brighter Exposure

In this photo I measured the light more towards the midtones. It was shot seconds after at 77secs, F16 ISO 50. Here I've created a lighter, high key version with softer, more subtle colours.



So, your exposure will very much depend on how you want your picture to look. Expose for the highlights to create a slightly darker image with more colour depth, contrast and details. Expose more towards the midtones or shadows to create a lighter image with softer colours and a more milky, ethereal feel.

High key scenes:

Some scenes are predominantly bright (known as high key scenes) Here, on a good exposure, the histogram is pushed more towards the right to indicate the predominantly bright scene.



The histogram shows how much of the detail is between the midtone and the highlight area.

Notice how there is nothing in the shadow area to the right, and also that there are no dark colours or shadows in the scene. There is also very little midtone colours, except for the brown on the dog.

High key scenes: (underexposed)


Although the histogram is more centralised in this exposure, and the detail more evenly spread across the range, this image is underexposed (too dark). As we know this is a high key scene we also know it's too far to the left.

A high key scene should be exposed so that all the detail is pushed more to the right.



High key scenes: (overexposed)


This image is overexposed (too bright). The histogram here is pushed too far to the right. So the trick is to expose to the right just enough, but not too much.



Low key scenes:

Some scenes are predominantly dark (known as low key scenes)

Here the histogram is pushed more towards the left to indicate the predominantly dark scene with lots of shadows and dark colours.



The histogram here shows how much of the detail is on the left side .

Notice how there is very little detail in the midtone and highlight area.

The spike on the far right is a blown area which is from the bright light coming through the window.


Low key scenes: (underexposed)

In this exposure the scene is too dark and the histogram pushed too far to the left.



Low key scenes: (overexposed)

In this exposure the scene is too bright and the histogram pushed too far to the right and the scene lacks the deep shadows it requires to make it a low key image. As we know this is a low key image we want to expose to the left, but not too far.



Part 8: Exposure compensation

Flaws with Camera light meters:

Unfortunately the camera's built in light meter is not perfect, and it sees colours as being bright or dark. Camera manufacturers have designed their meters to measure midtone colours, therefore:

1. **Bright colours** such as white, red etc. can make the camera think the scene is brighter than it is and will therefore **underexpose**.
2. **Dark colours** such as blacks can make the camera think the scene is darker than it is, and will therefore **overexpose**.

You can override the camera's reading and settings by using a feature called exposure compensation. Essentially what you are doing is forcing the camera to take a brighter or darker exposure than the internal meter wants.

-2..1..■..1..+2
 ■

-2..1..■..1..+2
 ■

Increased exposure (+) (Brighter)

Here you choose to increase the exposure. You can add in increments of 1/3 stops up to 2 or more stops to make the photo brighter.

Decreased exposure (-) (Darker)

Here you choose to decrease the exposure. Again you can reduce by 1/3 stops up to 2 or more stops to make the photo darker.

At a glance

+1 = brighter image

-1 = darker image


For bright colours - whites, reds etc. = increase exposure

For dark colours - blacks = decrease exposure

Underexposed

Camera meter's exposure 1/125 F16 ISO200

Snow is classic example of how the camera's meter will underexpose. The brighter the light falling on the snow, the more the meter will read the white colour as brighter than it is. The photo below is underexposed.




Exposure compensation used

Correct exposure with exposure compensation set to +1

1/60 F16 ISO200

By dialing up +1 I have increased the exposure time and corrected the photo.



Overexposed

This photo is overexposed because I took the meter reading off the cat. The black colour of the cat has fooled the meter into thinking there is less light than there actually is so it has set a longer exposure in error.

Camera meter's exposure 1/60, F11, ISO800





Exposure compensation used

Correct exposure with exposure compensation set to -1

1/125, F11, ISO800

By dialing down one stop (-1) I have decreased the exposure time and corrected the photo.






Travel books by Ian Middleton

More info here:

www.ian-middleton.co.uk/travelwriting/mybooks.html



Part 9: Image file formats – RAW, TIFF & JPEG

With traditional film the image is captured on the frame and held there, as long as it isn't exposed to any more light, until it is processed. Chemicals are used to alter the properties of the silver halide pieces to make them permanent. With your image on film, a print is then produced. Even with film the final look of the picture very much depends on the processing technique, and professional photographers can spend hours in the darkroom perfecting an image. Different types and makes of film are designed to give different results, so photographers choose their film accordingly. For example, landscape photographers use slide (positive) film that produces an image with vivid colours.

Digital photography is different to film in the way that it captures an image. Essentially, the electronic sensor is designed to capture as much data from the scene as possible. Once it does this, the camera's computer processes the data and produces a photo from it, which it then saves to the memory card. The final image very much depends on the camera setting or profile used. If you have set the camera to shoot landscapes, then the computer will work to produce a final image with bright colours and sharp detail. Should you set the camera to shoot portraits, then it will work to produce natural looking skin tones, and soften facial features.

So whatever you are shooting, any digital image requires some or more post processing to produce the desired effect the photographer is looking for.

JPEG: is the most popular file format due to the small file size taking up less space on your hard drive or memory card. JPEG is a compressed format, so once your image is produced by the camera then all other data is deleted and only the data for the image is saved. While this is an advantage for people wanting to get as many photos on a card as possible, if you want to do any extra post processing or editing of the image, then this will result in a loss of quality. Also, each time you re-save a JPEG you will lose data. For this reason it's known as a lossy format.

RAW: If your camera has it, then you should always shoot in this format. When you shoot in RAW then every single byte of data the sensor captures is saved, and therefore the file contains a wider dynamic range with much more detail, tonal range, contrast and colour. Saving in RAW not only allows you complete control over how the image is processed (rather than letting the camera do it), but it gives you more flexibility when it comes to processing and editing without losing quality. A RAW file editor program will allow you to adjust white balance, exposure and retrieve lost detail in overexposed areas (within reason). This can be essential when applying effects such as blending different exposures, or compensating for the extremes of light and contrast that the camera cannot otherwise handle. RAW is also a great format when learning, because it allows you correct mistakes you make in exposure. If an image is over or underexposed, you can adjust it either way.

TIFF: is a lossless file and therefore there is no data loss or compression. You can also save images in 16-bit format, which will contain more colour detail. Like the RAW, the TIFF file is very tolerant to editing, so you can do much more to it to it without losing quality. This is also the best format to save in if you want to make your images bigger by upsizing.

What I do is shoot in RAW then process and save as TIFF, add final touches such as cleaning away dust spots, then save a JPEG version. If I need to make changes, I edit the TIFF file and then re-save the JPEG.

TIP: While learning, set your camera to save both RAW and JPEG, if possible. That way you have the best of both worlds.

Useful info:

Check out my website for more tips and information:

<http://www.ianmiddletonphotography.com/tutorials/index.html>

Other useful websites

1. <http://photoephemeris.com/> A great piece of software for showing you where the sun and moon rise and set at any place and any time of the year
2. <http://www.dofmaster.com> (Contains tables and software for calculating the hyperfocal distance)

More day workshops and photography field tours with me. Click for more details: <http://www.ianmiddletonphotography.com/tours/index.html>

1. Jurassic Coast in Dorset, England Weekend Tour
2. Slovenia - Alpine Wonders Weekend Workshop
3. Lake Bohinj, Slovenia
4. Vintgar Gorge rapids and waterfalls
5. Lake Bled, Slovenia